

**Product description**

Hot air hand dryer  
Operates by an infra-red electronic sensor  
Polished stainless-steel casing  
HEPA filter  
5 years guarantee

**Technical specifications:**

The hot air hand dryer consists of a one-piece casing in stainless steel and an efficient air way outlet. The casing is made of stainless steel and polished finishing. The hand-dryer is fixed on the wall by 4 screws. The dryer is operated by an electronic infra-red sensor and it automatically stops after the hands have been withdrawn from the sensor field. The hand dryer is coming with a universal electrical brushed engine, 31000 r.p.m. The dryer delivers an airflow of 1812 l/min (109 m<sup>3</sup>/h) at a speed of 362km/h. The dryer has a total power rating of 950W with a maximum consumption of 8,3 A. The IP protection index against intrusions by solids is IP24. The total measurements of the hot air hand dryer are: 339x295x100 mm, and total net weight is 5,1 kg. The hand dryer model is GW01 28 04 01, manufactured by GENWEC WASHROOM S.L. - Av. Joan Carles I, 46-48 - 08908 L'Hospitalet de Llobregat - Barcelona, (Spain). [www.genwec.com](http://www.genwec.com).

**Technical characteristics****Electrical specifications**


Universal voltage: 110-120/208/220-240 V  
Frequency: 50/60 Hz  
Maximum intensity: 8,3 A  
Total power rating: 950 W  
Engine motor: Brushed universal  
Rotor speed: 31000 r/min  
Protection index: IP24  
Overheating thermostat.  
(Automatic restart)

**Mechanical specifications**

Air flow: 1812 l/min (109 m<sup>3</sup>/h)  
Air speed: 362 km/h  
Outlet air temperature: 54°C  
Outer casing type: Stainless steel

**Packaging specifications**

- Dimensions of individual package: 360x405x170 mm
- Product dimensions: 339x295x100 mm
- G.W.: 6,1 Kg
- N.W.: 5,1 Kg



**Cleaning:** A cotton cloth slightly dampened in a soapy solution is recommended. Then dry off. Do not use any strong chemicals or cleaning agents that can be dangerous to children.