

SOAP DISPENSERS **GW04 11 04 01 Built-in soap dispenser 1.200ml**



Product description

AISI 304 Stainless steel material
Operation: Manually by pressure
Finish: Satin
Built-in installation
Anti-drip valve
Plastic soap-refill window indicator
Capacity: 1.2 litres
Safety lock with key

Technical specifications:

The built-in soap dispenser with level viewer is totally manufactured in AISI 304 stainless steel material, satin finish. The total capacity is up to 1,2 liters of liquid soap. To refill the dispenser, use the key to open the safety lock located on the front part of the product. The soap dispenser has an anti-drip valve. The push-button, is activated manually, by pressure. It is necessary a wall hole of 128 x 150 x 100 mm to install the product. After installation, only the front part is visible (140 x 170 mm). It is fixed to the wall using 4 screws. It is recommended to fill with neutral soap. The soap dispenser model is GW04 11 04 01, manufactured by GENWEC WASHROOM S.L. - Av. Joan Carles I, 46-48 - c.p: 08908 L'Hospitalet de Llobregat - Barcelona. www.genwec.com.

Technical characteristics

Product specifications

Material: AISI 304 stainless steel
Satin finish
Capacity: 1.2 liters
Built-in
Anti-drip valve
Plastic soap-refill window indicator
Safety lock with key

Packaging specifications

- Packaging: Individual box and plastic bag
- Peso del embalaje individual: 1,0 Kg
- Product measures: 140 x 170 x 95 mm
- Wall hole measures: 128 x 150 x 100 mm
- Product net weight: 0,850 Kg

GENWEC WASHROOM S.L. reserves the right to modify and/or rectify products and their specifications without prior notice.

Measures: $\pm 3\%$

Revised by: Fernando Royo_V2 (03/2019)

SOAP DISPENSERS **GW04 11 04 01 Built-in soap dispenser 1.200ml**



GENWEC®
WASHROOM EQUIPMENT & COMP.

Cleaning: A cotton cloth slightly dampened in a soapy solution is recommended. Then dry off. Do not use any strong chemicals or cleaning agents that can be dangerous to children.

SOAP DISPENSERS **GW04 11 04 01 Built-in soap dispenser 1.200ml**

