

TIMED TAPS GW13 22 06 02 Wall mounted sensor soap dispenser



Product description

Soap dispenser with battery (optional AC power).

Material: Brass Finish: Chromed

Operation: Sensor activated

Wall mounted

Technical specifications:

The automatic wall mounted soap dispenser is entirely made of brass material, with a chromed finish. It has a refillable 1000ml deposit made of high-density polypropylene (HDPE). The soap dispenser is activated by sensor located in the front part, with a detection range between 5-22 cm. The soap dispense on each dose is ≤2ml (4 positions) and works between 0,5 and 1 second. It can be filled with vegetable or synthetic soap with a viscosity 1-17cps (Liquid: 100-3500cps) and PH 5-9. The unit can be activated using 4 AA batteries (optionally could be used AC wall plug adapter. Product dimensions is 185x60x60. The soap dispenser model is GW13 22 06 02, manufactured by GENWEC WASHROOM S.L. - Av. Joan Carles I, 46-48 - ES 08908 L'Hospitalet de Llobregat - Barcelona (SPAIN). www.genwec.com

Technical characteristics

Product specifications

Type of material: Brass Chromed exterior finish IR sensor activated

Power supply: AC100-240V / DC6V(Battery operated) / both AC&DC dual power supply

Power consumption: AC: Standby≤2W, Working≤5W

DC: Standby≤0.5mW, Working≤5W


Bottle capacity: 1000 ml

Suitable soap viscosity: 1-17cps (Liquid: 100-3500cps)

Suitable soap PH: 5-9



TIMED TAPS GW13 22 06 02 Wall mounted sensor soap dispenser



Cleaning: A cotton cloth slightly dampened in a soapy solution is recommended. Then dry off. Do not use any strong chemicals or cleaning agents that can be dangerous to children.